



Levels of Explanation in Behavioral Ecology

Understanding Seemingly Paradoxical Behavior Along the Central Coast of Alta California

Brian F. Coddington

Department of Anthropology, Stanford University, 450 Serra Mall, Building 50, Stanford, CA 94305, USA (bcoddington@stanford.edu)

Terry L. Jones

Department of Social Sciences, California Polytechnic State University San Luis Obispo, CA 93407, USA (tljones@calpoly.edu)

Abstract Archaeological applications of behavioral ecology apply models developed for synchronic phenomena to diachronic trends. Some problems arise out of this mismatch, one of which involves distinguishing between functional and historical levels of explanation. Historical explanations attempt to outline the diachronic emergence or evolution of some behavioral trait or strategy; in contrast, functional explanations attempt to explain the adaptive benefits an individual gains from a behavior or strategy. Here we examine the relationship between these two levels of explanation with technological and subsistence data from California's central coast, specifically focusing on explaining the function of seemingly paradoxical transitions in fishing technology that occurred during the late Holocene. By keeping these two levels of explanation separate and distinct, we highlight how archaeologists can explain the adaptive function of prehistoric human behavior that occurred within a particular historical context.

Resumen Las aplicaciones arqueológicas de la ecología behaviorística aplican modelos desarrollados para fenómenos sincrónicos a tendencias diacrónicas. Algunos problemas provienen de esta falta de armonía, uno de los cuales implica distinguirse entre niveles funcionales e históricos de la explicación. Las explicaciones históricas intentan perfilar la aparición diacrónica o la evolución de algún rasgo behaviorístico o estrategia; en contraste, las explicaciones funcionales intentan explicar las ventajas adaptables que un individuo gana de un comportamiento o

estrategia. Aquí examinamos la relación entre estos dos niveles de explicación con y datos tecnológicos y de subsistencia de la costa central de California, que expresamente nos concentra en la explicación de la función de transiciones aparentemente paradójicas en la tecnología de pesca que ocurrió durante Holocene tardío. Guardando separados y distintos estos dos niveles de la explicación, destacamos como los arqueólogos pueden explicar la función de adaptación del comportamiento humano prehistórico que ocurrió dentro de un contexto histórico particular.

Since the 1970s, archaeological applications of behavioral ecology have made tremendous progress in contributing to our understanding of human prehistory and behavior (see Bird and O'Connell 2006; Lupo 2007; Shennan 2008). Nonetheless, archaeologists have yet to work out all the problems associated with applying models developed for relatively high resolution, synchronic phenomena to relatively low resolution, diachronic trends. One such problem involves the relationship between historical and functional explanations. As outlined by Tinbergen (1963) and as more recently discussed by Bird and O'Connell (2006:145; see also Krebs and Davies 1993:4), functional and historical explanations are two independent levels of inquiry. Historical explanations in archaeology can be viewed as any explanation that seeks to outline the particular diachronic processes through which a behavior or strategy developed, particularly in relation to external factors whether they be ecological, demographic, technological, etc.

While often the focus of archaeological research, historical explanations are not the focus of human behavioral ecology, which attempts to explain the adaptive function of biological design in an ecological setting (Winterhalder and Smith 1992). However, archaeologists interested in explaining the function of behavior are necessarily involved in the historical level of explanation, since functional explanations require some understanding of the historical context in which behaviors occurred. In some respects, functional explanations in archaeological applications of behavioral ecology must rest on a historical explanation (or rather, a historical context), as the function of the behaviors in question may have changed through time in response to external factors explainable only within the historical level of inquiry. Thus, despite being distinct and independent levels of inquiry, functional and historical explanations in archaeology co-exist in a dynamic relationship that must be unwound if adaptive accounts of prehistoric behavior are going to achieve serious credibility. In keeping the two levels of explanation explicit, researchers may be better able to resolve ongoing debates regarding the function of specific behaviors and the particular context in which these behaviors occurred.

In this article, we examine the dynamic relationship between historical and




Figure 1. Sites mentioned in text.

functional explanations in archaeological applications of behavioral ecology. First we detail the four levels of explanation outlined by Tinbergen (1963), then we apply these concepts through an examination of the function of seemingly maladaptive changes in fishing practices along the central California coast in the late Holocene (Figure 1). Our aim is to highlight the distinction between historical and functional explanations, and in so doing, show how behavioral ecological models can provide an opportunity to revise our understanding of specific historical contexts and the adaptive function of behaviors that occurred within them.

Levels of Explanation in Behavioral Ecology

In his watershed publication, Tinbergen (1963) redefined the study of nonhuman animal behavior by outlining four distinct levels of explanation. The first he referred to as *causal*, but may be better understood as *proximate* or *mechanistic*. A mechanistic explanation refers to the proximate physiological or chemical processes that allow some behavior to occur. The second level of analysis he called *survival value* but may also be termed *adaptive* or *functional*. Functional explanations are the primary focus of behavioral ecology (Winterhalder and Smith 1992) and, assuming some form of heredity, these explanations seek to understand the “ultimate” cause of how specific

traits confer differential survivorship and reproductive success to individuals and thus lead to the prolonged presence of the trait (see Williams 1966).

The third level of explanation is *ontogenetic* or *developmental*. This level of analysis seeks to explain how a specific trait or behavior emerges within individuals as they develop through life-history. The fourth and final level of explanation is what Tinbergen (1963) referred to as *evolutionary*, or the generation of *phylogenetic* explanations that outline the evolutionary history of a trait or behavior. In archaeology, this level of explanation has also been referred to as *historical* (Bird and O'Connell 2006). Historical explanations include those that attempt to outline the diachronic emergence or evolution of some behavioral trait or strategy through time. In contrast, functional explanations attempt to explain the adaptive benefits an individual gains from such behavior.

Similar to Aristotle's *Physics* (II.3), Tinbergen's work served to outline several independent levels of inquiry that may be pursued in search of causal explanations for particular phenomena. A specific behavioral trait (or its material residue) can be explained at any level. For example, a physiological mechanism may be the proximate cause behavior x; but behavior x may also have an effect on whether an individual will survive and reproduce (Tinbergen 1963:418). Researchers may also want to know how behavior x develops in an individual's life history (ontogeny), or how it evolved in the species (phylogenetic). While an explanation is possible at each level of analysis, any two explanations do not compete with one another. The two "proximate" levels of explanation, mechanistic and ontogenetic, remain of little interest to archaeologists; however, the "ultimate" explanations, adaptive (or functional) and historical, frequently take center stage (Bird and O'Connell 2006).

Explicitly parsing these two levels of explanation in such a way can provide an avenue to answer complex questions about human behavior in the past. Below, we take this approach to explain the function of seemingly paradoxical behavior that occurred during the Middle-Late Transition period along California's central coast. Here, a comparison of fish bone assemblages and related fishing equipment at the representative Middle Period component at CA-SLO-267 (Jones and Fernéau 2002a) with the Middle-Late Transition component at CA-SLO-9 (Coddling and Jones 2007; Coddling et al. 2009) reveal patterns that are paradoxical in light of recent models of technological change.

The Function of Seemingly Maladaptive Fishing Practices during the Late Holocene

Relative to other time periods in California, sites dating to the Middle-Late Transition period (MLT, ca. cal A.D. 1000-1250) show evidence for dramatic changes in material patterning (e.g., Jones et al. 1999, 2007). This time period is generally rec-

ognized as being marked by prolonged droughts (Graumlich 1993; LaMarche 1974; Stine 1994) but increased marine productivity (Kennett 2005; Kennett and Kennett 2000) caused by the Medieval Climatic Anomaly (MCA). Studies have shown that the Middle-Late Transition coincided with increased violence (Jones and Schwitalla 2008), health problems (Jones and Schwitalla 2008; Wiess 2002), widespread site abandonment (Jones and Ferneau 2002b; Jones et al. 1999, 2007), and subsistence changes (Coddington and Jones 2007; Coddington et al. 2010; Pilloud 2006). These transformations also appear to be associated with a “de-intensification” of fishing practices along the central coast (Coddington and Jones 2006, 2007; Coddington et al. 2009).

When compared with the fish bone assemblage from the well-defined Middle Period (ca. cal 600 BC to AD 1000) component at CA-SLO-267 (Jones and Ferneau 2002a), the MLT assemblage from the Coon Creek site (CA-SLO-9) differs significantly ($\chi^2 = 426.66$, $p = 0.0005$, Table 1). This is primarily the result of significantly more large fish remains and fewer small fish remains during the MLT (see Table 1). The MLT fish bone assemblage shows that foragers began to specialize on larger fish taxa, particularly cabezon and rockfish, which make up 72.1 percent of the total NISP compared to only 38.0 percent during the Middle Period. This indicates an overall decrease in the evenness of fish species acquired resulting from a specialization on larger taxa, which is predicted by a change from indiscriminately netting fish as opposed to selectively targeting larger species with hook and line technology (see Love 1996; Pletka 2001; Salls 1988). This is also supported by a change in the frequencies of fishing related artifacts. As shown in Table 1, the Middle Period assemblage is characterized by grooved stone net weights ($N = 11$), an absence of notched stones, and a single shell fishhook; the opposite pattern is seen during the MLT where grooved stone net weights are absent and the assemblage is dominated by notched stones ($N = 20$) and circular shell fishhooks ($N = 9$). These overall differences are significant ($\chi^2 = 36.65$, $p = 0.0005$).

This *historical* transition in technology and fishing strategies is seemingly paradoxical, as catching fish with hook and line technology is significantly less efficient than mass capture via nets (see Bliege Bird and Bird 1997; Smith 1991). There are two competing *functional* explanations for this sort of change in fishing practices. The first suggests that foragers were adaptively responding to changes in demographic and ecological conditions (Bettinger et al. 2006; Sosis 2000), while the second posits that these sorts of changes represent maladaptive technological loss (Henrich 2004).

A Simple Model of Technological Intensification

Building on the work of Ugan et al. (2003), Bettinger et al. (2006; see also Bettinger 2009) developed a simple model of technological intensification that examines

Table 1. Summary of Fish Remains and Fishing Related Artifacts from CA-SLO-9 and CA-SLO-267.^a

		MLT Period				Middle Period			
		CA-SLO-9				CA-SLO-267			
Taxon	Common Name	%	NISP	Residuals ^b	<i>p</i> ^c	%	NISP	Residuals ^b	<i>p</i> ^c
Embiotocidae	Surfperches	5.8	44	-2.7	0.0023	10.3	144	2.0	0.0244
Scorpaenichthys marmoratus	Cabezon	29.0	219	11.7	< 0.0001	5.0	70	-8.6	< 0.0001
<i>Sebastes</i> spp.	Rockfishes	43.0	325	3.0	0.0010	32.9	459	-2.2	0.0060
Stichaeidae	Pricklebacks	4.9	37	-11.1	< 0.0001	36.3	506	8.2	< 0.0001
	Other	17.2	130	0.8	0.2174	15.4	215	-0.6	0.2811
	Total	100.0	755	—	—	100.0	1394	—	—
Large Fish Index ^d		72.1	—	—	—	37.9	—	—	—
Artifact^e		N				N			
Grooved stones		0				11			
Notched stones		20				0			
Circular shell fishhooks		9				1			

^a Data from Coddling et al. (2009) and Jones and Ferneau (2002). The difference between the two fish bone assemblages is highly significant ($\chi^2 = 426.66$, $p = 0.0005$). NISP = Number of identified specimens.

^b Pearson residuals resulting from a χ^2 test calculated as the observed count minus the expected count all over the square root of the expected count (R Core Development Team 2010).

^c The probability that each count differs as a result of chance alone, significant values are in bold (see Note 1).

^d The Large Fish Index is calculated as the proportion of Rockfishes (*Sebastes* sp.) and Cabezon (*Scorpaenichthys marmoratus*) relative to the total NISP and represents the fish species thought to be caught by hook and line or spear as opposed to nets (see Love 1996; Pletka 2001; Salls 1988).

^e The difference between these two assemblages is significant ($\chi^2 = 36.65$, $p = 0.0005$).

the relationships between the cost of manufacturing and maintaining a specific technology, the caloric return rates that such a technology provides, and the time spent foraging with that particular technology in a particular foraging activity. Their model essentially shows that technologies with higher startup and maintenance costs generally provide higher caloric returns per unit time, but whether technological intensification is worth the added cost depends on how much time a forager spends on the particular activity for which the technology is used.

The potential benefits of cooperative net fishing are further reduced by the costs of cooperation. Sosis (2000:453; see also Alvard and Nolin 2000) suggested that a cooperative fishing strategy should outweigh an individual strategy as long

as the per capita benefits of cooperation are greater than the costs. Thus, given certain circumstances, it is possible for the benefits associated with individual fishing strategies with hook and line technology to outweigh a cooperative net fishing strategy depending on the costs of cooperating. These costs and benefits should, in turn, be contingent on the number of potential cooperators.

A Simple Model of Social Learning

Henrich (2004) recently proposed that technological losses associated with the secession of fishing among indigenous Tasmanians was the result of maladaptive cultural loss. Assuming that individuals bias their attention towards skilled or prestigious individuals, Henrich (2004; also Boyd and Richerson 1985 [not in refs]) suggested that individuals will imitate, albeit imperfectly, skilled individuals. However, if population density is low, then there are fewer skilled individuals in the population; as a result, useful or adaptive skills and technology may be lost over generations. Thus, low population densities are a mechanism for the maintenance of inefficient behavioral traits. This maladaptive hypothesis is similar to the stance taken by some evolutionary psychologists (e.g., Buss 1999:400-403) and even some California archaeologists (e.g., McGuire and Hildebrandt 2005; McGuire et al. 2007) who presume that environmental novelty can lead to maladaptive behavioral traits.

Why did Foragers De-intensify Fishing Practices during the Middle-Late Transition?

In order to understand whether this paradoxical shift in fishing practices is functional or maladaptive, analysis must first turn to the historical level of inquiry in order to test three predictions that stem from these models. First, both of the models discussed above predict that such technological changes result from declines in population densities. Therefore, if either of these models are to explain this technological transition, the data will have to provide evidence for changes in overall population densities (Henrich 2004) or at least in the number of foragers choosing to fish (Bettinger et al. 2006; Sosis 2000). Second, if this transition were maladaptive, as envisioned by Henrich (2004), the technological loss would occur over a long period of time marked by the deterioration of technical knowledge and skill; however, if this technological transition was the result of individuals attempting to maximize their energetic intake in the face of changing socio-ecological variables, it should occur relatively quickly (Smith 2000). Third, if this transition were maladaptive, it is expected by the maladaptive model to be represented by the loss of existing efficient technology and a fall back onto

Table 2. Size Frequencies of Red and Black Abalone from CA-SLO-9 (MLT Period) and CA-SLO-267 (Middle Period).^a

Size Class (mm)	Red Abalone (<i>Haliotis rufescens</i>)						Black Abalone (<i>Haliotis cracherodii</i>)					
	MLT Period			Middle Period			MLT Period			Middle Period		
	Count	Resid-uals ^b	p ^c	Count	Resid-uals ^b	p ^c	Count	Resid-uals ^b	p ^c	Count	Resid-uals ^b	p ^c
0–20	1	–2.4	0.0032	15	2.4	0.0185	0	–1.6	0.0654	6	1.5	0.1144
20–40	41	1.2	0.1231	28	–1.2	0.1230	11	0.8	0.2424	8	–0.7	0.2815
40–60	39	–0.3	0.4205	44	0.3	0.4053	19	–1.3	0.0912	38	1.2	0.1155
60–80	27	–0.7	0.2619	36	0.7	0.2549	11	–1.4	0.0867	26	1.3	0.1145
80–100	29	–1.1	0.1486	43	1.1	0.1528	26	0.7	0.2527	24	–0.7	0.2810
100–120	39	0.7	0.2608	32	–0.7	0.2736	22	1.7	0.0575	12	–1.5	0.0619
120–140	28	1.1	0.1477	18	–1.1	0.1500	6	1.0	0.2236	3	–0.9	0.2710
140–160	9	0.0	0.5269	9	0.0	0.5687	2	0.1	0.5401	2	–0.1	0.6242
160–180	7	1.2	0.1591	2	–1.2	0.1644	1	0.8	0.3637	0	–0.7	0.5775
180–200	1	0.0	0.6267	1	0.0	0.7300	0	n/a	n/a	0	n/a	n/a

^a Data from Coddling et al. (2009; see also Coddling and Jones 2007; Jones and Ferneau 2002). There is a significant difference between time periods in black abalone size ($\chi^2 = 22.08$, $p = 0.0040$) and red abalone size ($\chi^2 = 24.55$, $p = 0.0010$).

^b Pearson residuals resulting from a χ^2 test calculated as the observed count minus the expected count all over the square root of the expected count (R Core Development Team 2010).

^c The probability that each count differs as a result of chance alone; significant values are in bold (see Note 1).

preexisting, less efficient technology (Henrich 2004); the incorporation of a new technology would suggest an adaptive decision-making process envisioned by the Bettinger et al. (2006) model.

1. Demographic Changes. An examination of shellfish size frequencies between multiple temporal or spatial components can provide evidence for the degree of littoral exploitation (e.g., Klein et al. 2004). A higher proportion of smaller sized shellfish suggest a more intensive exploitation of the littoral resulting from the suppression of shellfish populations; a higher proportion of larger sized shellfish suggests the opposite. A comparison of red abalone (*Haliotis rufescens*) and black abalone (*Haliotis cracherodii*) size frequencies from the Middle Period (CA-SLO-267) to the MLT (CA-SLO-9) shows that that they differ significantly (red abalone $\chi^2 = 24.55$, $p = 0.0010$; black abalone $\chi^2 = 22.08$, $p = 0.0040$). For red abalone, this is due to the significantly fewer specimens in the 0-20 mm size class at CA-SLO-9 ($p = 0.0032$) and the significantly greater number of specimens at CA-SLO-267 ($p = 0.0185$; Table 2). For black abalone, this is the result of a higher




Figure 2. Cumulative mussel size frequencies comparing Middle Period (CA-SLO-267) and Middle-Late Transition period (CA-SLO-9) harvesting strategies relative to the “Natural” Population Curve (from Whitaker 2008).

number of large abalone (100-120 mm; $p = 0.0575$) at CA-SLO-9 (see Table 2). This same trend is apparent when comparing the cumulative California mussel (*Mytilus californianus*) size frequencies between the two time periods (see Figure 2), which shows an overall decrease in the intensity of mussel harvesting during the MLT. Overall, these diachronic trends occurring within the historical level of inquiry indicate that the MLT was marked by a decrease in the exploitation of the littoral, which suggests a lower overall density of foragers. However, since this is a prerequisite of both models, this does not clarify which model best explains this technological transition.

2. Tempo of Change. Examining the timing of diachronic change should help to discriminate between the two models. Unlike the pattern envisioned by Henrich (2004), the timing of technological change during the MLT appears to have been a sudden and abrupt transition marked by rapid environmental change (Jones et al. 1999), site abandonment throughout the region (Jones and Ferneau 2002b; Jones et al. 1999, 2007) and transitions in technology visible over relatively short time periods in single locales, including the trans-Holocene record at Diablo Canyon (CA-SLO-2 [Greenwood 1972]; similar changes are also evident in Monterey County [Pohorecky 1976]). These material markers signify not a prolonged dete-

rioration of knowledge, but rather a rapid change in technology relative to a rapid environmental shift.

3. Maladaptive Loss vs. Adaptive Transition. If this pattern were maladaptive, it should be represented by the loss of preexisting efficient technology and a reliance on preexisting, less efficient technology. However, unlike the prediction derived from the maladaptive model (Henrich 2004), this event coincides with the adoption of new technology, specifically circular shell fishhooks which appear in high frequencies along the central coast for the first time during the MLT (see Coddling and Jones 2007; Jones et al. 2007). These data suggest that individuals were quick to adapt to changing environmental circumstances, even adopting new technology that may have provided greater benefits in an altered environment. This could also explain the later adoption of circular shell fishhooks along the central coast that were more widespread elsewhere (Rick et al. 2002).

While this conclusion runs counter to the predictions of some models of technological change (e.g., Henrich 2004), the plastic and flexible nature of human behavior to adaptively respond to changing environments is a central tenant in human behavioral ecology (Irons 1979; Smith 2000). The data examined here suggest that linked environmental and demographic changes during the MLT altered the costs and benefits associated with cooperative fishing, resulting in higher benefits for individual hook and line fishing. Historical factors, including local demography and the tempo and type of change, provided the context to evaluate these two models of technological change. Here, a behavioral ecological model helps to elucidate poorly understood historical phenomena (i.e., the effects of the MCA on prehistoric human populations) and also suggests that some seemingly maladaptive technological changes can perhaps be more properly viewed as adaptive.

Summary and Conclusion

Following Tinbergen (1963), the aim of this article was to highlight the distinctive roles that historical and functional explanations play in archaeological research guided by behavioral ecology. The example discussed illustrates some of the ways in which behavioral ecological models can be effectively integrated with long-term diachronic data to elucidate historical and functional aspects of human behavior. By testing predictions derived from two competing models at the historical level of inquiry, this study was able to provided a clear functional explanation for seemingly maladaptive technological transitions during the Late Holocene. Similar approaches have resolved other debates about the function of large game hunting along the central California coast (Hildebrandt et al. 2010; Jones and Coddling

2010; Jones et al. 2008) and are likely to help resolve future debates over seemingly paradoxical behavior.

Human behavior, past and present, occurs within a particular context and this context must be understood as clearly as possible if adaptive accounts are going to achieve any semblance of empirical validity. By acknowledging this role of history in archaeological applications of human behavioral ecology and by making the differences between historical and functional explanations explicit, we can gain greater clarity in our interpretations and hopefully come closer to understanding and explaining variation in past human behavior.

Acknowledgments

This paper came out of a special session on Human Behavioral Ecology organized by Adie Whitaker and Deanna Grimstead at the annual meeting of the Society for California Archaeology in 2007; their efforts, including comments on previous versions of this paper, made this work possible. Special thanks go to Elise Wheeler, Nathan Stevens, Leroy Laurie, Amber Barton, Emily Hill, and all the students involved in the field and lab classes from 2004 to 2008 at California Polytechnic State University, San Luis Obispo—the research done at CA-SLO-9 would have been impossible without their diligence. The ideas in this article were inspired by many conversations with Mike Jochim, Doug Bird, and Rebecca Bliege Bird. Any mistakes in fact or judgment are the sole responsibility of the authors.

Note

1. All Chi-Square (χ^2) tests were performed in the R environment using a Monte Carlo simulation (with 2000 iterations) to calculate χ^2 and alpha (p) values (R Core Development Team 2010). Tables 1 and 2 also present the results of secondary contingency table analysis that generates the significance of the contribution of each cell to the overall difference between multiple tables based on the binomial probability theorem. This function was written in R by Ian G. Robertson (Stanford University) based on a suggestion by James Allison. The same analysis can be done with the *TWO-WAY* function in Kintigh's (2009) *Tools for Quantitative Archaeology*. Greater detail of this analysis is provided elsewhere (see Codding et al. 2010).

References Cited

- Alvard, Michael S., and David A. Nolin
2002 Rousseau's Whale Hunt? Coordination Among Big-Game Hunters. *Current Anthropology* 43:533–559.
- Bettinger, Robert L.
2009 *Hunter Gatherer Foraging: Five Simple Models*. Eliot Werner Publications, New York.

- Bettinger, Robert L., Bruce Winterhalder, and Richard McElreath
 2006 A Simple Model of Technological Intensification. *Journal of Archaeological Science* 33:538–545.
- Bird, Douglas W., and James F. O'Connell
 2006 Behavioral Ecology and Archaeology. *Journal of Archaeological Research* 14: 143–188.
- Bliege Bird, Rebecca, and Douglas W. Bird
 1997 Delayed Reciprocity and Tolerated Theft: The Behavioral Ecology of Food-Sharing Strategies. *Current Anthropology* 38:49–78.
- Boyd, Robert, and Peter J. Richerson
 1985 *Culture and the Evolutionary Process*. University of Chicago Press, Chicago.
- Buss, David M.
 1999 *Evolutionary Psychology: The New Science of the Mind*. Allyn and Bacon, Needham Heights, Massachusetts.
- Codding, Brian F., and Terry L. Jones
 2006 *The Middle Late Transition on the Central California Coast: Archaeological Salvage at CA-SLO-9, Montaña de Oro State Park, San Luis Obispo County, California*. Report on file at the California Historic Resources Information System, Central Coast Information Center, University of California, Santa Barbara.
- 2007 History and Behavioral Ecology during the Middle-Late Transition on the Central California Coast: Findings from the Coon Creek Site (CA-SLO-9), San Luis Obispo County. *Journal of California and Great Basin Anthropology* 27:23–49.
- Codding, Brian F., Amber M. Barton, Emily J. Hill, Nathan E. Stevens, Elise Wheeler, and Terry L. Jones
 2009 *The Middle-Late Transition on the Central California Coast: A Final Report on Archaeological Salvage at CA-SLO-9, Montaña de Oro State Park, San Luis Obispo County, California*. San Luis Obispo County Archaeological Society, Occasional Paper No. 19.
- Codding, Brian F., Judith F. Porcasi, and Terry L. Jones
 2010 Explaining Prehistoric Variation in the Abundance of Large Prey: A Zooarchaeological Analysis of Deer and Rabbit Hunting along the Pecho Coast of Central California. *Journal of Anthropological Archaeology* 29:47–61.
- Graumlich, Lisa J.
 1993 A 1000-year Tree Ring Record of Temperature and Precipitation in the Sierra Nevada. *Quaternary Research* 39:249–255.
- Greenwood, Roberta
 1972 9000 Years of Prehistory at Diablo Canyon, San Luis Obispo County, California. *Occasional Papers of the San Luis Obispo Archaeological Society*, No. 7.
- Hildebrandt, William R., Kelly R. McGuire, and Jeffrey Rosenthal
 2010 Human Behavioral Ecology and Historical Contingency: A Comment on the Diablo Canyon Archaeological Record. *American Antiquity* (in press).
- Henrich, Joseph
 2004 Demography and Cultural Evolution: How Adaptive Cultural Processes can Produce Maladaptive Losses-The Tasmanian Case. *American Antiquity* 69:197–214.
- Irons, William
 1979 Natural Selection, Adaptation, and Human Social Behavior. In *Evolutionary Biology and Human Social Behavior: An Anthropological Perspective*, edited by Napoleon A. Chagnon and William Irons, pp. 4–39. Duxbury Press, Belmont.

- Jones, Terry L., and Brian F. Coddling
 2010 Historical Contingencies, Issues of Scale and Flightless Hypotheses: A Response to Hildebrandt et al. *American Antiquity* (in press).
- Jones, Terry L., and Jennifer A. Ferneau
 2002a De-intensification along the Central Coast. In *Catalysts to Complexity: Late Holocene Societies of the California Coast*, edited by Jon M. Erlandson and Terry L. Jones, pp. 204–231. Institute of Archaeology, University of California, Los Angeles.
 2002b *Prehistory at San Simeon Reef: Archaeological Data Recovery at CA-SLO-179 and -267, San Luis Obispo County, California*. San Luis Obispo County Archaeological Society Occasional Papers No. 16.
- Jones, Terry L., and Al Schwitalla
 2008 Archaeological Perspectives on the Effects of Medieval Drought in Prehistoric California. Proceedings of the 22th Pacific Climate Workshop, Asilomar, California. *Quaternary International* 188:41–58.
- Jones, Terry L., Gary M. Brown, L. Mark Raab, Janet L. McVickar, W. Geoffrey Spaulding, Douglas J. Kennett, Andrew York, and Phillip L. Walker
 1999 Environmental Imperatives Reconsidered: Demographic Crises in Western North America During the Medieval Climatic Anomaly. *Current Anthropology* 40:137–170.
- Jones, Terry L., Nathan E. Stevens, Deborah A. Jones, Richard T. Fitzgerald, and Mark G. Hylkema
 2007 The Central Coast: A Midlatitude Milieu. In *California Prehistory: Colonization, Culture and Complexity*, edited by Terry L. Jones and Kathryn A. Klar, pp. 125–146. Alta Mira Press, Walnut Creek.
- Jones, Terry L., Judith F. Porcasi, Jerome Gaeta, and Brian F. Coddling
 2008 The Diablo Canyon Fauna: A Coarse-Grained Record of Trans-Holocene Foraging from the Central California Mainland Coast. *American Antiquity* 73:289–316.
- Kennett, Douglas J.
 2005 *The Island Chumash: Behavioral Ecology of a Maritime Society*. University of California Press, Berkeley and Los Angeles.
- Kennett, Douglas J., and James P. Kennett
 2000 Competitive and Cooperative Responses to Climate Instability in Coastal Southern California. *American Antiquity* 65:379–395.
- Kintigh, Keith
 2009 *Tools for Quantitative Archaeology*. Electronic document, <http://tfqa.com/doc/index.html>, accessed February 28, 2009.
- Klein, Richard G., Graham Avery, Kathryn Cruz-Urbe, David Halkett, John E. Parkington, Teresa Steele, Thomas P. Volman, and Royden Yates
 2004 The Ysterfontein 1 Middle Stone Age Site, South Africa, and Early Human Exploitation of Coastal Resources. *Proceedings of the National Academy of Science*. 101:5708–5715.
- Krebs, John R., and Nicholas B. Davies
 1993 *An Introduction to Behavioral Ecology* (third edition). Blackwell Science, Oxford.
- LaMarche, V. C., Jr.
 1974 Paleoclimatic Inferences from Long Tree-Ring Records. *Science* 183:1043–1048.
- Love, Milton
 1996 *Probably More Than You Want to Know about the Fishes of the Pacific Coast*. Really Big Press, Santa Barbara.

Lupo, Karen D.

- 2007 Evolutionary Foraging Models in Zooarchaeological Analysis: Recent Applications and Future Challenges. *Journal of Archaeological Research* 15:143–189.

McGuire, Kelly R., and William R. Hildebrandt

- 2005 Re-Thinking Great Basin Foragers: Prestige Hunting and Costly Signaling during the Middle Archaic Period. *American Antiquity* 70:695–712.

McGuire, Kelly R., William R. Hildebrandt, and Kimberly L. Carpenter

- 2007 Costly Signaling and the Ascendancy of No-Can-Do Archaeology: A Reply to Coddling and Jones. *American Antiquity* 72:358–365.

Pilloud, Marin A.

- 2006 The Impact of the Medieval Climatic Anomaly in Prehistoric California: A Case Study from Canyon Oaks, CA-ALA-613/H. *Journal of California and Great Basin Anthropology* 26:179–191.

Pletka, Scott

- 2001 The Economics of Island Chumash Fishing Practices. In: *The Origins of a Pacific Coast Chiefdom: The Chumash of the Channel Islands*, edited by J. E. Arnold, pp. 221–244. University of Utah Press, Salt Lake City.

Pohorecky, Zenon S.

- 1976 *Archaeology of the South Coast Ranges of California*. Contributions of the University of California Archaeological Research Facility No.34.

R Core Development Team

- 2010 R: A Language and Environment for Statistical Computing. R Foundation for Statistical Computing, Vienna, Austria.

Rick, Torben C., Rene L. Vellanoweth, Jon M. Erlandson, and Douglas J. Kennett

- 2002 On the Antiquity of the Single-Piece Shell Fishhook: AMS Radiocarbon Evidence from the Southern California Coast. *Journal of Archaeological Science* 29:933–942.

Salls, Roy A.

- 1988 *Prehistoric Fisheries of the California Bight*. Ph.D. dissertation, University of California, Los Angeles, California.

Shennan, Stephen

- 2008 Evolution in Archaeology. *Annual Review of Anthropology* 37:75–91.

Smith, Eric A.

- 1991 *Inujjamiut Foraging Strategies: Evolutionary Ecology of an Arctic Hunting Economy*. Aldine de Gruyter, New York.
- 2000 Three Styles in the Evolutionary Analysis of Human Behavior. In *Adaptation and Human Behavior: An Anthropological Perspective*, edited by Lee Cronk, Napoleon Chagnon, and William Irons, eds., pp. 27–46. Aldine De Gruyter, Hawthorne.

Sosis, Richard

- 2000 The Emergence and Stability of Cooperative Fishing on Ifaluk Atoll. In *Adaptation and Human Behavior: An Anthropological Perspective*, edited by Lee Cronk, Napoleon Chagnon, and William Irons, pp. 437–472. Aldine de Gruyter, Hawthorne, New York.

Stine, Scott

- 1994 Extreme and Persistent Drought in California and Patagonia during Medieval Time. *Nature* 369:546–549.

Tinbergen, Niko

- 1963 On Aims and Methods in Ethology. *Zeitschrift für Tierpsychologie* 20:410–433.

Ugan, Andrew, Jason Bright, and Alan Rogers

- 2003 When is Technology Worth the Trouble? *Journal of Archaeological Science* 30:1315–1329.

Whitaker, A.R.

- 2008 Incipient aquaculture in prehistoric California?: Long-term productivity and sustainability vs. immediate returns for the harvest of marine invertebrates. *Journal of Archeological Science* 35:1114–1123.

Wiess, Elizabeth

- 2002 Drought-Related Changes in Two Hunter-Gatherer California Populations. *Quaternary Research* 58:393–396.

Williams, George C.

- 1966 *Adaptation and Natural Selection: A Critique of Some Current Evolutionary Thought*. Princeton University Press, Princeton, New Jersey.

Winterhalder, Bruce, and Eric A. Smith

- 1992 Evolutionary Ecology and the Social Sciences. In *Evolutionary Ecology and Human Behavior*, edited by Eric A. Smith and Bruce Winterhalder, pp. 3–23. Aldine de Gruyter, New York.

